

STIC Search Report

STIC Database Tracking Number: 131704

TO: Michael Astorino Location: cp2 4e04

Art Unit: 3736

Friday, September 10, 2004

Case Serial Number: 10/751821

From: John Sims Location: EIC 3700

CP2, 2C08

Phone: 308-4836

john.sims@uspto.gov

Search Notes

Ex. Astorino:

	•		
I searched this case in a number of n	nedical and scientific fi	les using both STN	and Dialog. Some of the

results appear to relate to the method claim, but I suggest you examine all the results carefully.





EIC 3700

Comments:

Voluntary Results Feedback Form

Questions about the scope or the results of the search? Contact the EIC searcher or contact:

John Sims, EIC 3700 Team Leader 308-4836, CP2-2C08

Drop off or send completed forms to STIC/EIC3700 CP2 2C03



Access DB# 131704

SEARCH REQUEST FORM

Scientific and Technical Information Center Requester's Full Name: // ichael TSTORINO Examiner #: Phone Number 306 - 906 7 Art Unit: 3736 Mail Box and Bldg/Room Location: CP2 - 4E04 Results Format Preferred (circle): APER DISK E-MAIL If more than one search is submitted, please prioritize searches in order of need. Please provide a detailed statement of the search topic, and describe as specifically as possible the subject matter to be searched. Include the elected species or structures, keywords, synonyms, acronyms, and registry numbers, and combine with the concept or utility of the invention. Define any terms that may have a special meaning. Give examples or relevant citations, authors, etc, if known. Please attach a copy of the cover sheet, pertinent claims, and abstract. Title of Invention: Inventors (please provide full names): Earliest Priority Filing Date: *For Sequence Searches Only* Please include all pertinent information (parent, child, divisional, or issued patent numbers) along with the appropriate serial number. chu #/ Type of Search Vendors and cost where applicable NA Sequence (#) AA Sequence (#) Dialog Searcher Location: Structure (#) Questel/Orbit Date Searcher Picked Up: Bibliographic Dr.Link Litigation Searcher Prep & Review Time: _____ Fulltext Sequence Systems Clerical Prep Time: Patent Family WWW/Internet Other Other (specify)

PTO-1590 (8-01)

Using nonlinear analysis to describe and forecast the patient census of an intensive care unit.

Accession number & update

1997031360 20040330

Fields available in this record: abstract, cited references.

Author(s)

Pollock-JE.

Source

Complexity and Chaos in Nursing, 1997 Summer, vol. 3, p. 23-32, (24 ref)

ISSN: 1088-7911.

Source codes

COMPLEXITY-CHAOS-NURS

Current NLM serial ID number: 9701524 Previous NLM serial ID number: SR0089072

URLs: http://www.cinahl.com/cgi-bin/refsvc?jid=1020&accno=1997031360.

Language

English.

Publication year

1997.

Address

San Antonio Community Hospital

TX.

Publication type

journal-article, research, tables-charts.

Descriptors

CHAOS-THEORY/*;

BED-OCCUPANCY/*;

INTENSIVE-CARE-UNITS/*.

DATA-ANALYSIS-SOFTWARE;

T-TESTS:

DESCRIPTIVE-RESEARCH;

TIME-SERIES;

HOSPITALS;

TEXAS:

LOGISTIC-REGRESSION;

LINEAR-REGRESSION;

DESCRIPTIVE-STATISTICS;

FORECASTING-RESEARCH.

Subset information

Nursing, Peer Reviewed, USA.

Abstract

This study applied statistical methods derived from nonlinear dynamics to analyzing and forecasting patient census. Daily, weekly and monthly census data (N = 736) for the years 1991 through 1994 were analyzed for an intensive care unit within a community hospital. The results of the nonlinear analyses using *Lyapunov* exponents, logistic regressions, capacity and correlation dimensions, phase plane maps, and return maps were compared to traditional time series analysis of the same data. Traditional analysis failed to reveal pattern in the census data while nonlinear analyses identified a complex pattern with an estimated three to six independent variables (dimensions). Characteristics of a chaotic process, including a positive *Lyapunov* exponent and a fractal structure were also identified. Forecasts using nonlinear dynamical techniques, however, were no more accurate than linear regression forecasts. The findings provided some useful insights

CINAHL (R) (NAHL)

for nurse administrators planning and budgeting patient care services. They include the futility of long-term forecasting, the need for contingency planning and the use of two-dimensional time series graphs and phase plane plots to enhance budget monitoring processes.

References

Cited references: Badii R, Politi A. Statistical description of chaotic attractors: the dimension function. Journal of Statistical Physics 1985; 40: 725–750.

Cambel AB. Applied chaos theory: a paradigm for complexity. Boston: Academic Press; 1993.

Carolson-Sabelli L, Sabelli H, Patel M, Messer J, Zbilut JP, Walthall K et al. Electro-psychocardiography: illustrating the application of process methods and chaos theory to the comprehensive evaluation of coronary patients. Complexity and Chaos in Nursing 1995; 2: 16–24.

Casti JL. Complexification: explaining a paradoxical world through the science of surprise. New York: HarperCollins; 1994.

Cook TD, Campbell DT. Quasi-experimentation: design and analysis issues for field settings. Boston: Houghton Mifflin; 1979.

Denton TA, Diamond GA. Can the analytical techniques of nonlinear dynamics distinguish periodic, random and chaotic signals? Computational Biology in Medicine 1991; 21: 243–264.

Dooley K, Hamilton P, Cherri M, West B, Fisher P. Chaotic behavior in society: adolescent childbearing in Texas, 1964–1990. University of Minnesota; 1996. Unpublished manuscript.

Gleick J. Chaos: making a new science. New York: Penguin; 1987.

Goldstein J. The unshackled organization. Portland, OR: Productivity Press; 1994.

Hamilton P, West B, Mackey HJ, Cherri M, Fisher P. Evidence of nonlinear dynamics in teen births in Texas: 1964–1990. In: PL Chinn (Ed), Advances in methods of inquiry. Gaithsburg, MD: Aspen; 1994.

Ingraham RL. A survey of nonlinear dynamics ("chaos theory"). Singapore: World Scientific; 1992.

Johnson TL, Dooley KJ. Looking for chaos in time series data. Paper presented at Society for Chaos in Psychology and the Life Sciences Annual Conference, Baltimore, MD. 1994, June.

Mandel DR. Chaos theory, sensitive dependence, and the logistic equation. American Psychologist 1995; 50: 106–108.

May R. Simple mathematical models with very complicated dynamics. Nature 1976; 261: 459-467.

Pietgen HO, Jurgens H, Saupe D. Chaos and fractals: new frontiers of science. New York: Springer-Verlag; 1992.

Pollock JE. Describing and forecasting patient census: comparing linear and nonlinear analysis results (dissertation) Denton: Texas Woman's University; 1995. Unpublished doctoral.

Priesmeyer HR. Organizations and chaos: defining the methods of nonlinear management. Westport, CT: Quorum; 1992.

Priesmeyer HR. The chaos system software: business edition (computer software). Fair Oaks Rance, TX: Management Concepts; 1994.

Priesmeyer HR, Andrews WT. Logistic regression: forecasting with chaos theroy. Paper presented at The International Association of Business Forecasting Conference, Baltimore, MD. 1994, May.

Radzicki MJ. Institutional dynamics, deterministic chaos, and self-organizing systems. Journal of Economic Issues 1990; 24: 57-102.

Rapp P. Chaos in the neurosciences: cautionary tales from the frontier. Biologist 1993; 40: 89-94.

Sprott JC, Rowlands G. Chaos data analyzer (computer software). New York: Physics Academic Software; 1992.

SPSS for Windows (computer software) Chicago: Microsoft; 1993.

Woo MA. Patterns of heart rate variability (dissertation) Los Angeles: University of California; 1992. Unpublished doctoral.

Major change date

20040326.

COPYRIGHT BY CINAHL Information Systems, Glendale CA, USA

19/3,K/1 (Item 1 from file: 35)

DIALOG(R) File 35: Dissertation Abs Online

(c) 2004 ProQuest Info&Learning. All rts. reserv.

01556816 ORDER NO: AAD97-16588

DESCRIBING AND FORECASTING PATIENT CENSUS: COMPARING LINEAR AND NONLINEAR ANALYSIS RESULTS

Author: POLLOCK, JANE ENGLEBRIGHT

Degree: PH.D. Year: 1996

Corporate Source/Institution: TEXAS WOMAN'S UNIVERSITY (0925) Source: VOLUME 57/12-B OF DISSERTATION ABSTRACTS INTERNATIONAL.

PAGE 7454. 185 PAGES

...applied statistical methods derived from chaos theory to analyzing and forecasting patient census in a hospital. Patient census data from 1991 through 1994 for an **intensive care** unit and a pediatric unit within a single community hospital were analyzed. The results of the nonlinear analysis were compared to time series analysis of...

...same data.

Traditional analysis revealed strong seasonal variation in the pediatric unit census. Traditional analysis techniques failed to identify pattern in the census of the **intensive care** unit. Nonlinear analysis identified sensitivity to initial conditions in the census data from both units. The pediatric unit was non-chaotic on most measures. The **intensive care** unit demonstrated several characteristics of a chaotic process, including a positive **Lyapunov** exponent, fractal structure, and a distinctly patterned return map.

The findings of this study suggested several strategies for nurse administrators planning and budgeting for patient...

19/3,K/2 (Item 1 from file: 34)

DIALOG(R) File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

05717802 Genuine Article#: WT367 No. References: 45

Title: Automated ventricular tachyarrhythmia recognition: A combination of cycle length and nonlinear dynamics measurements

Author(s): Igel DA; Wilkoff BL (REPRINT)

Corporate Source: CLEVELAND CLIN EDUC FDN, DEPT CARDIOL, 9500 EUCLID AVE, CARDIOL DESK F15/CLEVELAND//OH/44106 (REPRINT); CLEVELAND CLIN EDUC FDN, DEPT CARDIOL/CLEVELAND//OH/44106; CASE WESTERN RESERVE UNIV, DEPT BIOMED ENGN/CLEVELAND//OH/44106

Journal: JOURNAL OF CARDIOVASCULAR ELECTROPHYSIOLOGY, 1997, V8, N4 (APR), P 388-397

ISSN: 1045-3873 Publication date: 19970400

Publisher: FUTURA PUBL CO, 135 BEDFORD RD, PO BOX 418, ARMONK, NY 10504-0418

Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

Abstract: Introduction: Cardiac monitoring devices such as external cardioverter defibrillators and ICU computerized ECC monitoring systems sense individual QRS complexes to detect and subclassify ventricular tachyarrhythmias, Many algorithms that evaluate ECG morphology mark individual QRS complexes so...

...Research Fronts: DIMENSION ESTIMATION OF CHAOTIC TIME-SERIES; NONLINEAR DYNAMICS; MULTICHANNEL EEG)

95-1842 001 (RADIOFREQUENCY CATHETER ABLATION; ATRIOVENTRICULAR NODAL

REENTRANT TACHYCARDIA; CLINICAL OUTCOMES)
95-2350 001 (LYAPUNOV EXPONENTS; VIBRATION LOCALIZATION IN DISORDERED MULTISPAN BEAMS; CHAOTIC SYSTEMS; DISCRETE SIGNALS; PERIODIC TRUSSES)
95-5627 001 (CHAOS IN DELAY-DIFFERENTIAL EQUATIONS; NEURAL NETWORKS; MACKEY-GLASS...

19/3,K/3 (Item 1 from file: 144)
DIALOG(R)File 144:Pascal
(c) 2004 INIST/CNRS. All rts. reserv.

12084350 PASCAL No.: 95-0287476

Deterministic chaos in the hemodynamics of an artificial heart
YAMBE T; NITTA S I; SONOBE T; NAGANUMA S; KAKINUMA Y; IZUTSU K; AKIHO H;

KOBAYASHI S I; OHSAWA N; NANKA S; TANAKA M; FUKUJU T; MIURA M; UCHIDA N; SATO N; TABAYASHI K; KOIDE S; ABE K; TAKEDA H; YOSHIZAWA M

Tohoku univ., dep. medical eng. cardiology, Aoba-ku Sendai 980, Japan; Tohoku univ., inst. development aging cancer, div. organ pathophysiology, Aoba-ku Sendai 980, Japan; Tohoku univ., fac. eng., dep. electrical eng., Aoba-ku Sendai 980, Japan; Tohoku univ., graduate school information, Aoba-ku Sendai 980, Japan

Journal: ASAIO journal: (1992), 1995, 41 (1) 84-88 Language: English

... non linear mathematical technique, the arterial blood pressure waveform was embedded into a four dimensional phase space and projected into three dimensional phase space. The **Lyapunov** numeric method is used as an adjunct to the graphic analysis of the state space. A phase portrait of the attractor showed a high dimension...

... dimensional solid torus suggesting deterministic chaos during natural circulation. However, a simple attractor, such as a limit cycle attractor, was observed during artificial circulation. Positive Lyapunov exponents during artificial circulation suggest the lower dimensional chaotic system. Thus, hemodynamic parameters during prosthetic circulation must be carefully controlled when unexpected stimuli are fed...

Broad Descriptors: Artiodactyla; Ungulata; Mammalia; Vertebrata;

Cardiocirculatory assistance; **Intensive care**; Artiodactyla; Ungulata; Mammalia; Vertebrata; Assistance cardiocirculatoire; Soin intensif; Artiodactyla; Ungulata; Mammalia; Vertebrata; Asistencia cardiocirculatoria; Cuidado intensivo

- 24/3,K/1 (Item 1 from file: 34)
 DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
 (c) 2004 Inst for Sci Info. All rts. reserv.
- 12591754 Genuine Article#: 803KP No. References: 82
- Title: Linear and nonlinear measures of blood pressure variability:
 Increased chaos of blood pressure time series in patients with panic disorder
- Author(s): Yeragani VK (REPRINT); Mallavarapu M; Radhakrishna RKA; Tancer M; Uhde T
- Corporate Source: Apt 103,38,6th Cross,8th Main,RMV
 Extn,Sadashiva/Bangalore 560080/Karnataka/India/ (REPRINT); Wayne State
 Univ,Sch Med, Dept Psychiat,Detroit//MI/; Wayne State Univ,Sch Med,
 Dept Behav Neurosci,Detroit//MI/; Cornell Univ,Sch Med,New
 York//NY/10021; Indian Inst Sci,Dept Elect & Commun Engn,Bangalore
 560012/Karnataka/India/
- Journal: DEPRESSION AND ANXIETY, 2004, V19, N2, P85-95
- ISSN: 1091-4269 Publication date: 20040000
- Publisher: WILEY-LISS, DIV JOHN WILEY & SONS INC, 605 THIRD AVE, NEW YORK, NY 10158-0012 USA
- Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)
- ...Abstract: is associated with end organ damage and cardiovascular morbidity. On the other hand, a decrease in heart rate (HR) variability is associated with significant cardiovascular mortality. There is a strong association between cardiovascular mortality and anxiety. Several previous studies have shown decreased HR variability in patients with anxiety. In this study, we investigated beat-to-beat variability of systolic...
- ...value of BP variance corrected for mean BP divided by HR variance corrected for mean HR) were significantly higher in patients compared to controls. Largest Lyapunov exponent (LLE) of SBP and DBP, a measure of chaos, was significantly higher in patients in supine as well as standing postures. The ratios of LLE...
- ...and BP variability and a possible relative increase in sympathetic
 function in anxiety. This increase in BP variability may partly explain
 the increase in cardiovascular mortality in this group of patients.
 (C) 2004 Wiley-Liss, Inc.
- ...Identifiers--HEART-RATE-VARIABILITY; ACUTE MYOCARDIAL-INFARCTION; CARDIAC AUTONOMIC CONTROL; CORONARY-ARTERY-DISEASE; POWER- SPECTRAL ANALYSIS; PERIOD VARIABILITY; ORGAN DAMAGE; ESSENTIAL-HYPERTENSION; EMBEDDING DIMENSION; LYAPUNOV EXPONENTS
- 24/3,K/2 (Item 2 from file: 34)
 DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
 (c) 2004 Inst for Sci Info. All rts. reserv.
- 12336735 Genuine Article#: 754BG No. References: 78
- Title: Effect of nortriptyline and paroxetine on measures of chaos of heart rate time series in patients with panic disorder
- Author(s): Yeragani VK (REPRINT) ; Rao R
- Corporate Source: Wayne State Univ,Sch Med,Flat No 16,KCN Mansion/Bangalore 560001/Karnataka/India/ (REPRINT); Wayne State Univ,Sch Med, Dept Psychiat,Detroit//MI/; Indian Inst Sci,Dept ECE,Bangalore 560012/Karnataka/India/
- Journal: JOURNAL OF PSYCHOSOMATIC RESEARCH, 2003, V55, N6 (DEC), P507-513 ISSN: 0022-3999 Publication date: 20031200

- Publisher: PERGAMON-ELSEVIER SCIENCE LTD, THE BOULEVARD, LANGFORD LANE, KIDLINGTON, OXFORD OX5 1GB, ENGLAND
- Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)
- Abstract: Tricyclic antidepressants have notable cardiac side effects, and this issue has become important due to the recent reports of increased cardiovascular mortality in patients with depression and anxiety. Several previous studies indicate that serotonin reuptake inhibitors (SRIs) do not appear to have such adverse effects. Apart from...
- ...13), a tricyclic, and paroxetine (n = 16), an SRI inhibitor, on HR variability in patients with panic disorder, using a measure of chaos, the largest Lyapunov exponent (LLE) using pre- and posttreatment HR time series. Our results show that nortriptyline is associated with a decrease in LLE of high frequency (HF: 0...
- ...Identifiers -- ACUTE MYOCARDIAL INFARCTION; CORONARY ARTERY DISEASE; POWER- SPECTRAL - ANALYSIS ; SUDDEN CARDIAC DEATH; QT INTERVAL VARIABILITY; HOLTER ECG RECORDS; PERIOD VARIABILITY; REPOLARIZATION LABILITY; EMBEDDING DIMENSION; MULTIPLE-SCLEROSIS

24/3,K/3 (Item 3 from file: 34)

DIALOG(R) File 34: SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

11534757 Genuine Article#: 665QT No. References: 86

Title: Nonlinear measures of QT interval series: novel indices of cardiac repolarization lability: MEDgthr and LLEgthr

Author(s): Yeragania VK (REPRINT) ; Rao KAR

Corporate Source: Wayne State Univ, Sch Med, Flat No 16, KCN Mans/Bangalore 560001/Karnataka/India/ (REPRINT); Wayne State Univ, Sch Med, Dept Psychiat, Detroit//MI/; Indian Inst Sci, Dept ECE, Bangalore 560012/Karnataka/India/

Journal: PSYCHIATRY RESEARCH, 2003, V117, N2 (FEB 15), P177-190 ISSN: 0165-1781 Publication date: 20030215

Publisher: ELSEVIER SCI IRELAND LTD, CUSTOMER RELATIONS MANAGER, BAY 15, SHANNON INDUSTRIAL ESTATE CO, CLARE, IRELAND

Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- ... Abstract: patients with panic disorder and 18 patients with major depression in supine and standing postures. We obtained the minimum embedding dimension (MED) and the largest Lyapunov exponent (LLE) of instantaneous heart rate (HR) and QT interval series. MED quantifies the system's complexity and LLE predictability. There was a significantly lower MED...
- ... suggests that this nonlinear index is a valuable addition to the linear measures. These findings may also help to explain the higher incidence of cardiovascular mortality in patients with anxiety and depressive disorders. (C) 2002 Elsevier Science Ireland Ltd. All rights reserved.
- ...Identifiers--HEART-RATE-VARIABILITY; PANIC DISORDER PATIENTS; RATE TIME-SERIES; ACUTE MYOCARDIAL-INFARCTION; CORONARY-ARTERY DISEASE; POWER- SPECTRAL - ANALYSIS ; PERIOD VARIABILITY; CORRELATION DIMENSION; LYAPUNOV EXPONENTS ; RATE DYNAMICS

24/3,K/4 (Item 4 from file: 34)

DIALOG(R)File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

09533438 Genuine Article#: 418NH No. References: 82

Title: Decreased chaos and increased nonlinearity of heart rate time series in patients with panic disorder

Author(s): Rao RKA; Yeragani VK (REPRINT)

Corporate Source: Wayne State Univ,Sch Med,Flat 16,KCN Mansion/Bangalore
 560001/Karnataka/India/ (REPRINT); Indian Inst Sci,Dept
 ECE,Bangalore/Karnataka/India/; Wayne State Univ,Sch Med, Dept
 Psychiat,Detroit//MI/

Journal: AUTONOMIC NEUROSCIENCE-BASIC & CLINICAL, 2001, V88, N1-2 (APR 12), P99-108

ISSN: 1566-0702 Publication date: 20010412

Publisher: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- ...Abstract: in 30 normal control subjects and 36 age-matched patients with panic disorder in supine and standing postures. We obtained minimum embedding dimension (MED), largest **Lyapunov exponent** (LLE) and measures of nonlinearity (NL) of heart rate time series. MED quantifies system's complexity, LLE predictability and NL, deviation from linear processes. There...
- ...autonomic flexibility in these patients due possibly to a decrease in cardiac vagal activity. These findings may further explain the reported higher incidence of cardiovascular **mortality** in patients with anxiety disorders. (C) 2001 Elsevier Science B.V. All rights reserved.
- ...Identifiers--SUDDEN CARDIAC DEATH; ACUTE MYOCARDIAL-INFARCTION; POWER-SPECTRAL ANALYSIS; RATE-VARIABILITY; REPOLARIZATION LABILITY; PERIOD VARIABILITY; LYAPUNOV EXPONENTS; MULTIPLE-SCLEROSIS; RATE DYNAMICS; CORRELATION DIMENSION

24/3,K/5 (Item 5 from file: 34)

DIALOG(R) File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

09517658 Genuine Article#: 415TY No. References: 48

Title: Heart rate and QT variability in children with anxiety disorders: A preliminary report

Author(s): Yeragani VK (REPRINT); Rao KAR; Pohl R; Jampala VC; Balon R Corporate Source: Flat 16,KCN Mans/Bangalore 560001/Karnataka/India/ (REPRINT); Wayne State Univ,Sch Med, Dept Psychiat,Detroit//MI/; Vet Affairs Med Ctr,Dayton//OH/; Indian Inst Bangalore,Dept ECE,Bangalore/Karnataka/India/

Journal: DEPRESSION AND ANXIETY, 2001, V13, N2, P72-77

ISSN: 1091-4269 Publication date: 20010000

Publisher: WILEY-LISS, DIV JOHN WILEY & SONS INC, 605 THIRD AVE, NEW YORK, NY 10158-0012 USA

Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- ...Abstract: QT over heart rate variability normalized for mean heart rate) were significantly higher in children With anxiety compared to controls (P<0.05). The largest Lyapunov Exponent (LLE) of heart rate time series Was significantly lower (P<0.05) in children With anxiety compared to controls. These findings suggest a relative increase...
- ...Identifiers--POWER- SPECTRAL ANALYSIS; SUDDEN CARDIAC DEATH; RATE TIME-SERIES; PANIC DISORDER; PERIOD VARIABILITY; MULTIPLE-SCLEROSIS; REPOLARIZATION LABILITY; NONLINEAR DYNAMICS; AUTONOMIC FUNCTION; MENTAL STRESS

24/3,K/6 (Item 1 from file: 144) DIALOG(R)File 144:Pascal (c) 2004 INIST/CNRS. All rts. reserv.

16038018 PASCAL No.: 03-0185905

Nonlinear measures of QT interval series: novel indices of cardiac repolarization lability: MEDqthr and LLEqthr

VIKRAM KUMAR YERAGANI; RADHAKRISHNA RAO K A

Department of Psychiatry, Wayne State University School of Medicine, Detroit, MI, United States; Department of ECE, Indian Institute of Science, Bangalore, India

Journal: Psychiatry research, 2003, 117 (2) 177-190 Language: English

Copyright (c) 2003 INIST-CNRS. All rights reserved.

- ... patients with panic disorder and 18 patients with major depression in supine and standing postures. We obtained the minimum embedding dimension (MED) and the largest **Lyapunov exponent** (LLE) of instantaneous heart rate (HR) and QT interval series. MED quantifies the system's complexity and LLE predictability. There was a significantly lower MED...
- ... suggests that this nonlinear index is a valuable addition to the linear measures. These findings may also help to explain the higher incidence of cardiovascular mortality in patients with anxiety and depressive disorders.
- English Descriptors: Panic; Posture; Comparative study; Depression; Evaluation; Time series; Electrocardiography; Heart rate; QT interval; Hemodynamics; Spectral analysis; Chaos; Autonomic nervous system; Methodology; Human
- French Descriptors: Panique; Posture; Etude comparative; Etat depressif; Evaluation; Serie temporelle; Electrocardiographie; Rythme cardiaque; Intervalle QT; Hemodynamique; Analyse spectrale; Chaos; Systeme nerveux autonome; Methodologie; Homme

17/3,K/1 (Item 1 from file: 35)

DIALOG(R) File 35: Dissertation Abs Online

(c) 2004 ProQuest Info&Learning. All rts. reserv.

01385036 ORDER NO: AAD94-32463

HAMILTONIAN DYNAMICS AND CHAOTIC BEHAVIOR OF YANG-MILLS FIELDS ON A LATTICE

Author: GONG, CHENGQIAN

Degree: PH.D. Year: 1994

Corporate Source/Institution: DUKE UNIVERSITY (0066)

Source: VOLUME 55/07-B OF DISSERTATION ABSTRACTS INTERNATIONAL.

PAGE 2812. 215 PAGES

As a non-trivial generalization of the electromagnetism, a Yang-Mills theory possesses non-perturbative properties which render the theory extremely difficult to **analyze**. One way to achieve some understanding is to use the semi-classical method, which consists of two approaches: one approach is to solve the field...

...evolution of a gauge configuration that cannot be integrated analytically. It is found that in the SU(2) gauge theory there exists a universal largest Lyapunov exponent, which survives in the continuum limit for almost any random initial condition. In other words, the phase space of the classical Yang-Mills fields is almost completely...
...U(1) and the \$\lambda\phi\sp4\$ theories are regular in the continuum limit. In the simple case of the SU(2) theory, the complete Lyapunov spectrum is obtained and it is found that one-third of the exponents are zeros. The latter implies that there are no conserved physical quantities in...

...is shown that while the former are stable against small fluctuations, the latter are unstable and their instability can be characterized again by a largest **Lyapunov** exponent that **survives** in the continuum limit.

The chaoticity and instability found in a Yang-Mills theory provides an understanding of the rapid thermalization in a highly excited...

17/3,K/2 (Item 2 from file: 35)

DIALOG(R) File 35: Dissertation Abs Online (c) 2004 ProQuest Info&Learning. All rts. reserv.

01179217 ORDER NO: AAD13-43530

AN EXAMINATION OF SOME PROPERTIES OF NONLINEAR DYNAMICAL SYSTEMS

Author: WRIGHT, EDWARD D.

Degree: M.S. Year: 1990

Corporate Source/Institution: UNIVERSITY OF LOUISVILLE (0110)

Source: VOLUME 29/04 of MASTERS ABSTRACTS.

PAGE 672. 129 PAGES

Two nonlinear, conservative Hamiltonian systems, inspired by known celestial models, were **analyzed**.

The first model consisted of a test mass orbiting a massive oblate spheroid. The Lyapunov spectrum of this system was calculated and compared to the spectrum of the classic two-body system with similar initial conditions. The Lyapunov spectrum of the classic two-body system is known to be entirely zero. The numerical values of both spectra were similar to within 8%. The similarity between the calculated spectra is taken to imply the Lyapunov spectrum of the oblate system is also

entirely zero.

The second model was a modified restricted three-body system. The Lyapunov spectra for trajectories using a negligible test mass were compared against similar trajectories which had a non-negligible test mass. Surveys concerned with the survivability of a given trajectory for a given time interval about the binary were also generated. (Abstract shortened with permission of author.)

17/3,K/3 (Item 1 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

07774270 Genuine Article#: 207JR No. References: 33

Title: Chaos and spectral analyses of heart rate variability during head-up tilting in essential hypertension

Author(s): Kagiyama S (REPRINT); Tsukashima A; Abe I; Fujishima S; Ohmori S; Onaka U; Ohya Y; Fujii K; Tsuchihashi T; Fujishima M
Corporate Source: KYUSHU UNIV, FAC MED, DEPT INTERNAL MED 2, HIGASHI KU,
MAIDASHI 3-1-1/FUKUOKA 8128582//JAPAN/ (REPRINT)

Journal: JOURNAL OF THE AUTONOMIC NERVOUS SYSTEM, 1999, V76, N2-3 (MAY 28), P153-158

ISSN: 0165-1838 Publication date: 19990528

Publisher: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

Title: Chaos and spectral analyses of heart rate variability during head-up tilting in essential hypertension

Abstract: To investigate nonlinear and linear components of heart rate variability (HRV) in essential hypertension (EHT), we analyzed HRV by chaos and spectral analyses in patients with EHT (n = 18) and normotensives (n = 10) during head-up tilting. We used the correlation dimension (CD) and Lyapunov exponents as the parameters of chaos. The CD, an index of complexity, was lower at rest in EHT group than in normotensives, and did not change in EHT group in response to head-up tilting, but decreased in normotensives. Head-up tilting did not change the Lyapunov exponents, an index of sensitive dependence on initial condition, a hallmark of chaos, in both groups. In the spectral analysis , the normalized high-frequency component (%HF) was decreased in EHT group at rest, and head-up tilting increased the low- to high-frequency ratio (L/H) and reduced the HF in both groups. The CD and Lyapunov exponents at rest were correlated with the %HF and L/H. These results suggest that chaos analysis can assess the different aspect of HRV from spectral analysis and that nonlinear components of HRV may be associated with hypertension through an impaired dynamic regulation of HRV. (C) 1999 Elsevier Science B.V. All...

...Identifiers--ACUTE MYOCARDIAL-INFARCTION; NONLINEAR DYNAMICS; STRANGE ATTRACTORS; CARDIOLOGY; MORTALITY; EXERCISE; TIME

17/3,K/4 (Item 2 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

05637208 Genuine Article#: WM482 No. References: 20

Title: Prediction error method for second-order blind identification

Author(s): AbedMeraim K (REPRINT); Moulines E; Loubaton P

Corporate Source: UNIV MELBOURNE, DEPT ELECT & ELECT ENGN/PARKVILLE/VIC

3052/AUSTRALIA/ (REPRINT); ECOLE NATL SUPER TELECOMUN, DEPT

SIGNAL/F-75634 PARIS 13//FRANCE/; UNIV MARNE LA VALLEE, UNITE FORMAT

SPI/F-93166 NOISY LE GRAND//FRANCE/

Journal: IEEE TRANSACTIONS ON SIGNAL PROCESSING, 1997, V45, N3 (MAR), P 694-705

ISSN: 1053-587X Publication date: 19970300

Publisher: IEEE-INST ELECTRICAL ELECTRONICS ENGINEERS INC, 345 E 47TH ST, NEW YORK, NY 10017-2394

Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

Title: Prediction error method for second-order blind identification
...Abstract: output are a problem of current theoretical and practical
interest. In this paper, we introduce a second-order blind
identification technique based on a linear prediction approach. In
contrast to eigenstructure-based methods, it will be shown that the
linear prediction error method is ''robust'' to order
overdetermination.

An asymptotic performance **analysis** of the proposed estimation method is carried out, consistency and asymptotic normality of the estimates is established. A closed-form expression for the asymptotic covariance...

- Research Fronts: 95-0441 001 (CAPTURE-RECAPTURE DATA; SURVIVAL RATES; MODEL SELECTION CRITERIA; ROOT VOLES; WESTERN NORTH-ATLANTIC; LIFE-HISTORY STRATEGY)
 - 95-3378 001 (VECTOR AUTOREGRESSIVE MOVING AVERAGE MODELS; DYNAMIC

 SPECTRAL ANALYSIS; COVARIANCE FUNCTION; MULTIVARIATE ARMA PROCESSES)

 95-4137 001 (PEDINDANTI V ACTUATED SYSTEMS: NUMERICAL DESIGN APPROACH.)

95-4137 001 (REDUNDANTLY ACTUATED SYSTEMS; NUMERICAL DESIGN APPROACH; TRANSFER-FUNCTION MATRICES; MULTIVARIABLE CONTROLLER)

95-6900 001 (LYAPUNOV EQUATIONS; WORST-CASE IDENTIFICATION; SINGULAR-VALUE DECOMPOSITION; QUOTIENT STRUCTURES IN C-ALGEBRAS; REVERSE FORMS OF A CONVEX MATRIX INEQUALITY)

17/3,K/5 (Item 3 from file: 34)

DIALOG(R)File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

05553068 Genuine Article#: WG097 No. References: 54

Title: Nonlinear deterministic analysis of tissue texture: A stereological study on mastopathic and mammary cancer tissue using chaos theory

Author(s): Mattfeldt T (REPRINT)

Corporate Source: UNIV ULM, DEPT PATHOL, OBERER ESELSBERG M23/D-89081 ULM//GERMANY/ (REPRINT)

Journal: JOURNAL OF MICROSCOPY-OXFORD, 1997, V185, 1 (JAN), P47-66

ISSN: 0022-2720 Publication date: 19970100

Publisher: BLACKWELL SCIENCE LTD, OSNEY MEAD, OXFORD, OXON, ENGLAND OX2 OEL Language: English Document Type: ARTICLE (ABSTRACT AVAILABLE)

- Title: Nonlinear deterministic analysis of tissue texture: A stereological study on mastopathic and mammary cancer tissue using chaos theory
- ... Abstract: chaos, we present a deterministic approach to the study of epithelial tissue texture. Methods for estimation of the autocorrelation function, for evaluation of the power spectrum, for attractor reconstruction, for estimation of the Lyapunov exponent and of the correlation dimension, and for the generation of surrogate data sets are outlined, In our biological example, these methods are applied to 20 cases of mastopathy as compared to 20 cases of mammary cancer. The input signals for the analysis were estimates of epithelial fraction measured at low magnification within 5100 equally spaced line segments per case perpendicular to an arbitrarily directed axis.

- existence of ...
- ...Identifiers--TIME-SERIES; CORRELATION DIMENSION; 2ND-ORDER STEREOLOGY; STRANGE ATTRACTORS; STOCHASTIC-SYSTEMS; BREAST-CANCER; SPECTRA; EEG ...Research Fronts: LASER DYNAMICS; CHAOTIC SYSTEMS; LORENZ-HAKEN MODEL;

RING CAVITY)

- 95-1585 001 (UNBIASED STEREOLOGICAL METHODS; RAT CEREBELLUM; PERMANENT NEURONAL CELL LOSS; NUCLEAR VOLUME; QUANTITATIVE IMMUNOHISTOCHEMICAL ANALYSIS; CAPILLARY LENGTH)
- 95-4365 001 (SPATIAL PATTERNS; STROKE MORTALITY; FINE-SCALE GENETIC-STRUCTURE OF A TURKEY OAK FOREST)
- 95-5115 001 (MORPHOLOGICAL OPERATIONS; SPATIAL STATISTICS; RANDOM CLOSED-SETS; OPTICAL IMPLEMENTATION)

17/3,K/6 (Item 4 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

O4834861 Genuine Article#: ULO72 No. References: 38

Title: CHAOS-RELATED DETERMINISTIC REGULATION OF HEART-RATE-VARIABILITY IN

TIME AND FREQUENCY DOMAINS - EFFECTS OF AUTONOMIC BLOCKADE AND EXERCISE

Author(s): HAGERMAN I; BERGLUND M; LORIN M; NOWAK J; SYLVEN C

Corporate Source: HUDDINGE UNIV HOSP, KAROLINSKA INST, DEPT CARDIOL/S-14186

HUDDINGE//SWEDEN/; HUDDINGE HOSP, KAROLINSKA INST, DEPT TECH

ASSISTANCE/S-14186 HUDDINGE//SWEDEN/; HUDDINGE UNIV HOSP, KAROLINSKA

INST, DEPT CLIN PHYSIOL/S-14186 HUDDINGE//SWEDEN/

Journal: CARDIOVASCULAR RESEARCH, 1996, V31, N3 (MAR), P410-418

ISSN: 0008-6363

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

- ...Abstract: 40% and at 70% of maximal working capacity, Heart rate variability was assessed by: local sensitive dependence on initial conditions as quantitated by the dominant Lyapunov exponent, coefficient of variation of heart rate, power spectral analysis of high- and low-frequency bands and the 1/f-slope of the very-low-frequency band and time domain analysis, Results: The approximate dominant Lyapunov exponent was positive at rest and remained positive during autonomic blockade and during exercise, The exponent decreased significantly with propranolol + atropine and even more so during exercise but did not attain zero, At baseline approximate predictability was lost after about 30 s whereas after
- ...has characteristics suggestive of low-dimensional chaos-like determinism which is modulated but not eliminated by inhibition of autonomic tone or by exercise. The dominant **Lyapunov** exponent characterises heart rate variability independent or the other investigated measures.

autonomic blockade or exercise it was lost after about 60 s. The

- ...Identifiers--MYOCARDIAL-INFARCTION; POWER SPECTRUM; FLUCTUATION; MORTALITY; PERIOD; BEAT
- Research Fronts: 94-0468 006 (HEART-RATE-VARIABILITY IN ACUTE MYOCARDIAL-INFARCTION; CARDIAC AUTONOMIC TONE; POWER SPECTRAL ANALYSIS; CORONARY-ARTERY DISEASE)
 - 94-2270 001 (CHAOTIC TIME-SERIES; NONLINEAR DYNAMICS; GENERATING SURROGATE DATA)

17/3,K/7 (Item 5 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

1/f-slope remained unaltered...

03859430 Genuine Article#: QL988 No. References: 43

Title: APPLICATION OF THE POINCARE PLOT TO HEART-RATE-VARIABILITY - A NEW MEASURE OF FUNCTIONAL STATUS IN HEART-FAILURE

Author(s): KAMEN PW; TONKIN AM

Corporate Source: AUSTIN HOSP, DEPT CARDIOL/MELBOURNE/VIC 3084/AUSTRALIA/ Journal: AUSTRALIAN AND NEW ZEALAND JOURNAL OF MEDICINE, 1995, V25, N1 (FEB), P18-26

ISSN: 0004-8291

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

- Abstract: Background: Conventional methods of quantifying heart rate variability using summary statistics have shown that decreased variability is associated with increased mortality in heart failure. However, many patients with heart failure have arrhythmias which make the 'raw' heart rate variability data less suitable for the use of...
- ...in heart failure also produced data which were normally distributed but the remaining seven produced data which required careful filtering to make them suitable for **analysis** using summary statistics, but which could be **analysed** by the Poincare plot.

Conclusions: The Poincare plot pattern is a semi-quantitative tool which can be applied to the **analysis** of R-R interval data. It has potential advantages in that it allows assessment of data which are grossly non-Gaussian in distribution, and is...

- ...Identifiers--ACUTE MYOCARDIAL-INFARCTION; R-R INTERVALS; PLASMA NOREPINEPHRINE; PACEMAKER ACTIVITY; VAGAL-STIMULATION; SPECTRAL ANALYSIS; SINOATRIAL NODE; ARRHYTHMIA; RECORDINGS; PROGNOSIS
- ...Research Fronts: LIFE-THREATENING VENTRICULAR TACHYARRHYTHMIAS; ACUTE MYOCARDIAL-INFARCTION)
 - 93-3247 002 (CHRONIC HEART-FAILURE; MYOCARDIAL BETA-ADRENERGIC RECEPTORS; SYMPATHETIC MECHANISMS)
 - 93-2283 001 (CHAOTIC TIME-SERIES; **LYAPUNOV** EXPONENTS; NONLINEAR DYNAMICS; ATTRACTOR DIMENSION)
 - 93-3152 001 (ACUTE MYOCARDIAL-INFARCTION; LEFT-VENTRICULAR REMODELING; CHRONIC HEART-FAILURE; ANGIOTENSIN-CONVERTING ENZYME-INHIBITORS; EARLY USE OF CAPTOPRIL)

17/3,K/8 (Item 6 from file: 34)

DIALOG(R) File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02721288 Genuine Article#: LY549 No. References: 51

Title: POPULATION CONSEQUENCES OF LARVAL CROWDING IN THE DRAGONFLY AESHNA-JUNCEA

Author(s): VANBUSKIRK J

Corporate Source: INST ECOSYST STUDIES, BOX AB/MILLBROOK//NY/12545; DUKE UNIV, DEPT ZOOL/DURHAM//NC/27706

Journal: ECOLOGY, 1993, V74, N7 (OCT), P1950-1958

ISSN: 0012-9658

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

...Abstract: USA, showed clear evidence of competition when natural densities were high. After 2 yr of larval growth, individuals in crowded pools were developmentally delayed and survived less well than individuals in sparsely populated pools. The stunted larvae caught up with individuals in less crowded pools and reached the final instar in...

- ...field experiment in natural pools demonstrated the causal connection between density and fitness: feeding activity and growth rates were significantly reduced under crowded conditions, but survival showed no response to density. In unmanipulated rock pools, however, natural increases in density from one year to the next were met with slightly overcompensatory decreases in annual survival. The results illustrate that density dependence operates in a way that could contribute to population regulation in A. juncea, and a 6-yr time series...
- ...Research Fronts: LIFE-HISTORY)
 91-0966 001 (METAPOPULATION DYNAMICS; HIERARCHICALLY ORGANIZED SYSTEMS;
 INTERSPECIFIC COMPETITION; NEED FOR NICHES; PREDATOR-PREY PATCH MODELS;
 COMMUNITY ECOLOGY)
 - 91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)
 - 91-5768 001 (SPRUCE BUDWORM; INSECT POPULATIONS; TIME-VARYING **SURVIVAL** RATES)
 - 91-6042 001 (BENTHIC INVERTEBRATE COMMUNITY STRUCTURE; DETECTING HUMAN IMPACTS IN MARINE ENVIRONMENTS; DRIFT RESPONSES; LARVAL BLACK FLIES; FIELD POPULATIONS)

17/3,K/9 (Item 7 from file: 34) DIALOG(R)File 34:SciSearch(R) Cited Ref Sci

(c) 2004 Inst for Sci Info. All rts. reserv.

02662079 Genuine Article#: LU751 No. References: 70

Title: POSITIVE FEEDBACK IN AQUATIC ECOSYSTEMS - THE CASE OF THE MICROBIAL LOOP

Author(s): STONE L; BERMAN T

Corporate Source: ISRAEL OCEANOG & LIMNOL RES, YIGAL ALLON KINNERET LIMNOL LAB, POB 345/IL-14102 TIBERIAS//ISRAEL/; WEIZMANN INST SCI, DEPT ENVIRONM SCI & ENERGY RES/IL-76100 REHOVOT//ISRAEL/

Journal: BULLETIN OF MATHEMATICAL BIOLOGY, 1993, V55, N5 (SEP), P919-936 ISSN: 0092-8240

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

Research Fronts: 91-1474 001 (FECAL BACTERIA; MICROBIAL LOOP; NONCULTURABLE VIBRIO-VULNIFICUS CELLS; SURVIVAL OF CAMPYLOBACTERS; LAKE WATER; POLYMERASE CHAIN-REACTION; SEASONAL PATTERNS)

- 91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)
- 91-5401 001 (ANAEROBIC CILIATES; EUTROPHIC LAKE; HETEROTROPHIC FRESH-WATER NANOFLAGELLATES; ENDOSYMBIOTIC METHANOGENIC BACTERIA; MICROBIAL COMMUNITIES)
- 91-7543 001 (SHIFTING MOSAIC LANDSCAPE; POPULATION STABILITY; PREY...

17/3,K/10 (Item 8 from file: 34)

DIALOG(R) File 34: SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02624488 Genuine Article#: LR324 No. References: 23

Title: DYNAMICS OF FISH POPULATIONS WITH DIFFERENT COMPENSATORY PROCESSES WHEN SUBJECTED TO RANDOM SURVIVAL OF EGGS AND LARVAE

Author(s): JENSEN AL

Corporate Source: UNIV MICHIGAN, SCH NAT RESOURCES/ANN ARBOR//MI/48109

Journal: ECOLOGICAL MODELLING, 1993, V68, N3-4 (AUG), P249-256

ISSN: 0304-3800

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

Title: DYNAMICS OF FISH POPULATIONS WITH DIFFERENT COMPENSATORY PROCESSES WHEN SUBJECTED TO RANDOM SURVIVAL OF EGGS AND LARVAE

... Abstract: is widely believed that abundance of fish populations is determined during the larval stage, for larval abundance is high, there is high variability in larval survival , and small changes in larval abundance could have large effects on population abundance. In this study, hypothesized population regulation processes were quantified in a mathematical model that was applied to study the importance of compensatory processes during the larval stage by replacing them with random survival . The hypothesized population regulation processes were food-limited growth, size-dependent <code>mortality</code> , and age at maturity dependent on size. Variation in population abundance resulting from variation in egg and larval survival depends on the population regulation process. In populations where mortality depends on size of individuals, variation in survival of young has little effect on abundance of adults. If age at maturity is flexible, variation in survival of young causes large fluctuations in abundance and the fluctuations follow a pattern of occasional large year classes that are slowly attrited over their lifespans. If age at maturity is not flexible, and if mortality is not size dependent, variation in survival of young causes population abundance to fluctuate widely without a clear pattern. Compensation during the larval life stage was not necessary for regulation of fish...

...Research Fronts: 001 (LARVAL GROWTH OF A MARINE FISH; WINTER FLOUNDER PSEUDOPLEURONECTES-AMERICANUS REPRODUCTIVE SUCCESS; FEMALE SIZE; FLUIDIZED-BED REACTOR; EARLY LIFE-HISTORY)

91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)

17/3,K/11 (Item 9 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

02624486 Genuine Article#: LR324 No. References: 13
Title: OSCILLATORY BEHAVIOR IN A RESOURCE-BASED PLANT-HERBIVORE M

Title: OSCILLATORY BEHAVIOR IN A RESOURCE-BASED PLANT-HERBIVORE MODEL WITH RANDOM HERBIVORE ATTACK

Author(s): SARKAR AK; ROY AB

Corporate Source: JADAVPUR UNIV, DEPT MATH/CALCUTTA 700032/W BENGAL/INDIA/Journal: ECOLOGICAL MODELLING, 1993, V68, N3-4 (AUG), P213-226 ISSN: 0304-3800

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

... Abstract: rate of external resources and the ratio of parameters which take into account the loss of plant biomass due to grazing, litterfall and the herbivore **mortality** rate play an important role in shaping the dynamics of the plant-herbivore system. The criteria for existence of small- and large-amplitude non-constant...

Research Fronts: 91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)

91-4342 001 (PERIODIC-SOLUTIONS OF SOME NONLINEAR FUNCTIONAL-DIFFERENTIAL EQUATIONS; INFINITE DELAY; GLOBAL STABILITY THEOREM)

91-7543 001 (SHIFTING MOSAIC LANDSCAPE; POPULATION STABILITY; PREY...

17/3,K/12 (Item 10 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

02624131 Genuine Article#: LR541 No. References: 54

Title: AVOIDING ERRONEOUSLY HIGH-LEVELS OF DETECTION IN COMBINATIONS OF SEMI-INDEPENDENT TESTS - AN APPLICATION TO TESTING FOR DENSITY-DEPENDENCE

Author(s): HOLYOAK M; CROWLEY PH

Corporate Source: UNIV LONDON IMPERIAL COLL SCI & TECHNOL, NERC, CTR POPULAT BIOL, SILWOOD PK/ASCOT SL5 7PY/BERKS/ENGLAND/; UNIV KENTUCKY, T H MORGAN SCH BIOL SCI, CTR EVOLUT ECOL/LEXINGTON/KY/40506

Journal: OECOLOGIA, 1993, V95, N1 (AUG), P103-114

ISSN: 0029-8549

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

...Abstract: s test produced a greater level of detection (21.5%) than any other single test or combination of tests. These results were confirmed by the **analysis** of modelled density dependent data. Although the increase in power of combinations of tests over single tests is small with the data we used, the...

Research Fronts: 91-5768 002 (SPRUCE BUDWORM; INSECT POPULATIONS; TIME-VARYING SURVIVAL RATES)

91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)

17/3,K/13 (Item 11 from file: 34)

DIALOG(R) File 34: SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02560272 Genuine Article#: LM683 No. References: 37
Title: CHAOS REDUCES SPECIES EXTINCTION BY AMPLIFYING LOCAL-POPULATION

Author(s): ALLEN JC; SCHAFFER WM; ROSKO D

Corporate Source: UNIV FLORIDA, DEPT ENTOMOL & NEMATOL/GAINESVILLE//FL/32611; UNIV ARIZONA, DEPT ECOL & EVOLUTIONARY BIOL/TUCSON//AZ/85721

Journal: NATURE, 1993, V364, N6434 (JUL 15), P229-232

ISSN: 0028-0836

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

...Abstract: In fact, rarity is not a necessary consequence of complex dynamical behaviour26,27. But even when chaos is associated with frequent rarity, its consequences to **survival** are necessarily deleterious only in the case of species composed of a single population. Of course, the majority of real world species (for example, most...

Research Fronts: 91-2038 003 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)

91-0838 001 (LARVAL GROWTH OF A MARINE FISH; WINTER FLOUNDER PSEUDOPLEURONECTES-AMERICANUS REPRODUCTIVE SUCCESS; FEMALE SIZE; FLUIDIZED-BED REACTOR; EARLY LIFE-HISTORY)
91-0916...

17/3,K/14 (Item 12 from file: 34)

DIALOG(R) File 34: SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02453398 Genuine Article#: LC806 No. References: 167
Title: MEASURING CHAOS IN THE BRAIN - A TUTORIAL REVIEW OF NONLINEAR
DYNAMIC EEG ANALYSIS

Author(s): PRITCHARD WS; DUKE DW

Corporate Source: RJ REYNOLDS TOBACCO CO, BOWMAN GRAY TECH CTR, BIOBEHAV RES & DEV/WINSTON SALEM//NC/27102; FLORIDA STATE UNIV, SUPERCOMP COMP RES INST/TALLAHASSEE//FL/32306; FLORIDA STATE UNIV, DEPT PHYS/TALLAHASSEE//FL/32306

Journal: INTERNATIONAL JOURNAL OF NEUROSCIENCE, 1992, V67, N1-4, P31-80

ISSN: 0020-7454

Language: ENGLISH Document Type: ARTICLE

Title: MEASURING CHAOS IN THE BRAIN - A TUTORIAL REVIEW OF NONLINEAR DYNAMIC EEG ANALYSIS

- ...Identifiers--GRASSBERGER-PROCACCIA ALGORITHM; ESTIMATING ATTRACTOR DIMENSIONS; SINGULAR-VALUE DECOMPOSITION; TIME-SERIES; STRANGE ATTRACTORS; LYAPUNOV EXPONENTS; FRACTAL DIMENSION; DETERMINISTIC CHAOS; EMBEDDING DIMENSION; EFFICIENT ALGORITHM
- Research Fronts: 91-2038 007 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)
 - 91-0442 001 (SELF-ORGANIZED CRITICALITY; DETERMINISTIC SANDPILE MODEL; EARTHQUAKE FAULT)
 - 91-0754 001 (NEURAL NETWORKS; LOCAL LEARNING PRESCRIPTION FOR ARBITRARY CORRELATED PATTERNS; STATISTICAL-MECHANICAL...
- ...001 (TELEVISION VIEWING; CONSTRUCTION OF SOCIAL-REALITY; HEAVY-METAL MUSIC)
 - 91-1593 001 (GENERAL RANDOM REPAIR COST FOR A MULTIUNIT SYSTEM; PERIODIC REPLACEMENT MODEL; BIVARIATE **SURVIVAL** FUNCTION; COMPETING RISKS; FUZZY RELIABILITY)
 - 91-2305 001 (INTELLIGENCE IN JAPANESE CHILDREN; RT PARADIGM; INFORMATION-PROCESSING SPEED INDEXES)
 - 91-4092 001 (NEURAL NETWORKS; EXPERT SYSTEMS...

17/3,K/15 (Item 13 from file: 34)

DIALOG(R) File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02431399 Genuine Article#: LA842 No. References: 53
Title: SEASONALITY AND CHAOS IN A PLANKTON FISH MODEL

Author(s): DOVERI F; SCHEFFER M; RINALDI S; MURATORI S; KUZNETSOV Y
Corporate Source: POLITECN MILAN, INFORMAT TERR & AMBIENTALE LAB/I-20133
MILAN//ITALY/; INST INLAND WATER MANAGEMENT & WASTE WATER
TREATMENT/LELYSTAD//NETHERLANDS/; POLITECN MILAN, CIRITA/I-20133
MILAN//ITALY/; POLITECN TURIN/I-10128 TURIN//ITALY/; RUSSIAN ACAD
SCI, CTR RES COMP/PUSHCHINO//RUSSIA/

Journal: THEORETICAL POPULATION BIOLOGY, 1993, V43, N2 (APR), P159-183 ISSN: 0040-5809

Language: ENGLISH Document Type: ARTICLE

- Research Fronts: 91-2038 002 (LOCAL PREDICTION OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; LYAPUNOV SPECTRUM)
 91-0838 001 (LARVAL GROWTH OF A MARINE FISH; WINTER FLOUNDER PSEUDOPLEURONECTES-AMERICANUS REPRODUCTIVE SUCCESS; FEMALE SIZE; FLUIDIZED-BED REACTOR; EARLY LIFE-HISTORY)
 91-1221...
- ...ORBITS; SYSTEMS OF COUPLED OSCILLATORS; TRAVELING WAVES; GLOBAL BIFURCATIONS; CYLINDRICAL MANIFOLDS IN PHASE-SPACE; LOBE AREA)
 - 91-5768 001 (SPRUCE BUDWORM; INSECT POPULATIONS; TIME-VARYING **SURVIVAL** RATES)
 - 91-5907 001 (LAKE CONSTANCE; PHYTOPLANKTON SEASONAL SUCCESSION; ZOOPLANKTON DYNAMICS; DAPHNIA GROWTH; PHOSPHORUS CYCLE; RESOURCE

COMPETITION)

91-5942 001 (SIZE-BASED DYNAMICS OF PLANKTON...

17/3,K/16 (Item 14 from file: 34)

DIALOG(R) File 34: SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02318497 Genuine Article#: KT665 No. References: 35

Title: NEW INSIGHTS INTO TESTING FOR DENSITY DEPENDENCE

Author(s): HOLYOAK M

Corporate Source: UNIV LONDON IMPERIAL COLL SCI & TECHNOL, DEPT BIOL, SILWOOD PK/ASCOT SL5 7PY/BERKS/ENGLAND/

Journal: OECOLOGIA, 1993, V93, N3 (MAR), P435-444

ISSN: 0029-8549

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

- ...Abstract: were significantly (P<0.001) greater than the generally accepted 5% level of type I errors and so these methods are not suitable for the analysis of time-series data for density dependence. Levels of spurious detection (from random-walk data) were around the 5% level and hence were acceptable for...
- ...the intrinsic growth rate and the density dependent parameter alpha it is unclear whether this is because of variation in the strength of density dependent **mortality** or reproduction per se. However, small values of the intrinsic growth rate cause the amount of variation in the data to become small, which might...
- Research Fronts: 91-5768 003 (SPRUCE BUDWORM; INSECT POPULATIONS; TIME-VARYING SURVIVAL RATES)
 - 91-5833 002 (GENERALIZED ESTIMATING EQUATIONS FOR CORRELATED BINARY DATA; NONLINEAR RANDOM EFFECTS MODELS; CLUSTERED CATEGORICAL RESPONSES; CATTLE DYSTOCIA)
 - 91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)

17/3,K/17 (Item 15 from file: 34)

DIALOG(R) File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02316700 Genuine Article#: KU055 No. References: 28

Title: PHENOMENON OF LIFE-SPAN INSTABILITY IN DROSOPHILA-MELANOGASTER .2. CHANGE IN RHYTHM OF NATURAL VARIATIONS OF LIFE-SPAN AFTER SINGLE EXPOSURE TO GAMMA-IRRADIATION

Author(s): IZMAYLOV DM; OBUKHOVA LK; OKLADNOVA OV; AKIFYEV AP Corporate Source: RUSSIAN ACAD SCI, INST CHEM PHYS, KOSYGIN ST 4/MOSCOW 117977//RUSSIA/

Journal: EXPERIMENTAL GERONTOLOGY, 1993, V28, N2 (MAR-APR), P181-194 ISSN: 0531-5565

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

- ... Abstract: after a single exposure to Co-60 gamma-quantum irradiation. It has been shown using mathematical procedures that in all postirradiation generations, with one exception, survival curves retain their canonical shape. This is indicative of the unchangeable nature of LS distribution. The mean LS of the progeny of irradiated parents either...
- Research Fronts: 91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)

17/3,K/18 (Item 16 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

02316699 Genuine Article#: KU055 No. References: 26
Title: PHENOMENON OF LIFE-SPAN INSTABILITY IN DROSOPHILA-MELANOGASTER .1.
NONRANDOM ORIGIN OF LIFE-SPAN VARIATIONS IN SUCCESSIVE GENERATIONS

Author(s): IZMAYLOV DM; OBUKHOVA LK; OKLADNOVA OV; AKIFYEV AP Corporate Source: RUSSIAN ACAD SCI, INST CHEM PHYS, KOSYGIN ST 4/MOSCOW 117977//RUSSIA/

Journal: EXPERIMENTAL GERONTOLOGY, 1993, V28, N2 (MAR-APR), P169-180

ISSN: 0531-5565

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

Abstract: The dynamics of life span (LS) and fecundity in Drosophila melanogaster, strain D-32, were **analyzed** in a series of successive generations. Highly reliable variations in both fitness components were found. On initial inspection the variations would be characterized as random...

...Research Fronts: DIFFERENTIATION; BIOCHEMICAL SYSTEMATICS; ALLOZYME VARIABILITY; ISOZYME ELECTROPHORESIS)

91-1082 001 (NITROGENASE ACTIVITY; SOYBEAN NODULES; SYNECHOCOCCUS RF-1; N2 FIXATION; WHITE CLOVER)

91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)

17/3,K/19 (Item 17 from file: 34)

DIALOG(R) File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02291507 Genuine Article#: KQ122 No. References: 42

Title: A REDUCTION IN THE CORRELATION DIMENSION OF HEARTBEAT INTERVALS PRECEDES IMMINENT VENTRICULAR-FIBRILLATION IN HUMAN-SUBJECTS

Author(s): SKINNER JE; PRATT CM; VYBIRAL T

Corporate Source: METHODIST HOSP, CARDIOL SECT, MSF 905,6535
FANNIN/HOUSTON//TX/77030; BAYLOR COLL MED, DEPT NEUROL, NEUROPHYSIOL SECT/HOUSTON//TX/77030; BAYLOR COLL MED, DEPT MED, CARDIOL SECT/HOUSTON//TX/77030

Journal: AMERICAN HEART JOURNAL, 1993, V125, N3 (MAR), P731-743 ISSN: 0002-8703

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

Abstract: Reduced reflexive control of heartbeat intervals occurs with advanced heart disease and is an independent risk factor for mortality. Based on a previous study of experimental myocardial infarction in pigs, we hypothesized that a deterministic measure of heartbeat dynamics, the correlation dimension of R-R intervals (D2), may be a better predictor of risk than a stochastic measure, such as the standard deviation (SD). We determined the point estimates of the heartbeat D2 (i.e., PD2s) in...

...Identifiers--ACUTE MYOCARDIAL-INFARCTION; RATE-VARIABILITY; SUDDEN-DEATH; BAROREFLEX SENSITIVITY; PERIOD VARIABILITY; MORTALITY; ARRHYTHMIAS; BLOCKADE; DYNAMICS; BRAIN

Research Fronts: 91-0455 003 (HEART-RATE IN DIABETIC AUTONOMIC NEUROPATHY; RESPIRATORY SINUS ARRHYTHMIA; POWER SPECTRAL - ANALYSIS; CARDIAC VAGAL TONE; CARDIOVASCULAR REFLEX RESPONSES)

91-2038 001 (LOCAL PREDICTION OF CHAOTIC TIME-SERIES; NONLINEAR

17/3,K/20 (Item 18 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

02263910 Genuine Article#: KP403 No. References: 33
Title: A MATHEMATICAL-MODEL OF THE EFFECT OF SHOOTING BARNACLE GEESE
WINTERING ON ISLAY

Author(s): MIDDLETON DAJ; NISBET RM; KERR AJ
Corporate Source: UNIV STRATHCLYDE, DEPT STAT & MODELLING SCI, LIVINGSTONE
TOWER, 26 RICHMOND ST/GLASGOW G1 1XH//SCOTLAND/; NAT CONSERVANCY COUNCIL

SCOTLAND/BALLOCH G83 8LX/DUNBARTON/SCOTLAND/ Journal: JOURNAL OF APPLIED ECOLOGY, 1993, V30, N1, P1-12

ISSN: 0021-8901

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

- ... Abstract: capacity. We consider both situations but investigate the former in detail as this is likely to lead to increasing conflict with agriculture.
 - 3. Simple deterministic **analysis** demonstrates that, where there is no natural density dependence over the relevant range of densities, only those shooting strategies which impose density-dependent **mortality** on the population can control numbers effectively while maintaining a viable population.
 - 4. **Analysis** with the incorporation of environmentally driven variation establishes that strategies based on shooting a fixed proportion of the excess of females over some threshold in...
- ...drop to low numbers.
- 5. Low levels of auto-correlation in the recruitment rate or of correlation between the birth rate and year-to-year **survival** do not greatly affect the distribution of times taken to reach low numbers; however, higher levels of either result in a decrease in the modal... ... Identifiers--FLUCTUATING ENVIRONMENT; NATURAL-POPULATIONS; DENSITY DEPENDENCE; EXTINCTION; DYNAMICS; **SURVIVAL**; SCOTLAND; WILDFOWL; RATES Research Fronts: 91-1018 002 (GREATER SNOW GEESE; BARNACLE GOOSE BRANTA-LEUCOPSIS; BODY SIZE; SPRING STAGING)
 - 91-2038 001 (LOCAL PREDICTION OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; LYAPUNOV SPECTRUM)
 - 91-3807 001 (DEMOGRAPHIC GROWTH ANALYSIS; DYNAMICS OF AGE-STRUCTURED POPULATIONS; TESTING LIFE-CYCLE THEORY; LESLIE SYSTEMS; CLONAL REPRODUCTION)
 - 91-5768 001 (SPRUCE BUDWORM; INSECT POPULATIONS; TIME-VARYING **SURVIVAL** RATES)

17/3,K/21 (Item 19 from file: 34)
DIALOG(R)File 34:SciSearch(R) Cited Ref Sci
(c) 2004 Inst for Sci Info. All rts. reserv.

02263898 Genuine Article#: KP402 No. References: 42

Title: DYNAMICS OF A MATHEMATICAL-MODEL OF CHRYSOMYA-MEGACEPHALA (DIPTERA,
CALLIPHORIDAE)

Author(s): VONZUBEN CJ; DOSREIS SF; DOVAL JBR; GODOY WAC; RIBEIRO OB Corporate Source: UNIV ESTADUAL PAULISTA/BR-13506 RIO CLARO/SP/BRAZIL/; UNIV ESTADUAL CAMPINAS, INST BIOL, DEPT PARASITOL/BR-13100

CAMPINAS/SP/BRAZIL/

Journal: JOURNAL OF MEDICAL ENTOMOLOGY, 1993, V30, N2 (MAR), P443-448

ISSN: 0022-2585

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

Abstract: The laboratory population dynamics of Chrysomya megacephala (F.) was explored with a mathematical model of density-dependent growth. Fecundity and survival decreased significantly as a function of larval density. Parameters in the exponential regressions fitted to the fecundity and survival data were incorporated into a finite-difference equation that incorporates the delayed effect of larval density on fecundity and survival of adults. The theoretical population model of C. megacephala showed cyclic behavior with a stable limit cycle of two points for adults and immatures.

Research Fronts: 91-0609 001 (GAMES OF PERFECT INFORMATION; SEQUENTIAL EQUILIBRIUM; RATIONAL DETERRENCE; INCENTIVES FOR MONITORING QUALITY; EVOLUTIONARY STABILITY)

91-2038 001 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; **LYAPUNOV SPECTRUM**)

17/3,K/22 (Item 20 from file: 34)

DIALOG(R) File 34:SciSearch(R) Cited Ref Sci (c) 2004 Inst for Sci Info. All rts. reserv.

02205517 Genuine Article#: KK190 No. References: 30

Title: CHAOTIC POPULATION-DYNAMICS CAN RESULT FROM NATURAL-SELECTION

Author(s): FERRIERE R; GATTO M

Corporate Source: ECOLE NORM SUPER, CNRS, URA 258, ECOL LAB, 46 RUE ULM/F-75230 PARIS 05//FRANCE/; POLITECN MILAN, CNR, CTR TEORIA SISTEMI/I-20133 MILAN//ITALY/

Journal: PROCEEDINGS OF THE ROYAL SOCIETY OF LONDON SERIES B-BIOLOGICAL SCIENCES, 1993, V251, N1330 (JAN 22), P33-38

ISSN: 0962-8452

Language: ENGLISH Document Type: ARTICLE (Abstract Available)

- ... Abstract: as well as oscillations. We have tested for this hypothesis by considering the dynamics associated with evolutionarily stable life histories (including age of maturity, adult **survivorship** and recruitment to adulthood) in a simple, but general, demographic model. Contrary to expectation, individual selection operating on demographic traits should often lead to oscillatory...
- ...of maturity and many age classes. Also, the optimality of chaos is more likely whenever trade-offs constrain recruitment to rapidly decrease with increasing adult **survival** or decreasing age of maturity. Our results bring evolutionary support to the possibility that chaotic population dynamics might be much more widespread than inferred until now from data **analyses**. Furthermore, these findings provide novel support for the view that chaos could be an optimal regime for several biological systems.
- Research Fronts: 91-2038 003 (LOCAL **PREDICTION** OF CHAOTIC TIME-SERIES; NONLINEAR DELAYED FEEDBACK; DYNAMIC SYSTEM; 'LYAPUNOV SPECTRUM')
 - 91-0609 001 (GAMES OF PERFECT INFORMATION; SEQUENTIAL EQUILIBRIUM; RATIONAL DETERRENCE; INCENTIVES FOR MONITORING QUALITY; EVOLUTIONARY STABILITY)
 - 91-0838 001 (LARVAL GROWTH OF A MARINE FISH; WINTER FLOUNDER PSEUDOPLEURONECTES-AMERICANUS REPRODUCTIVE SUCCESS; FEMALE SIZE; FLUIDIZED-BED REACTOR; EARLY LIFE-HISTORY)
 - 91-3807 001 (DEMOGRAPHIC GROWTH ANALYSIS ; DYNAMICS OF AGE-STRUCTURED

POPULATIONS; TESTING LIFE-CYCLE THEORY; LESLIE SYSTEMS; CLONAL REPRODUCTION)

ANSWER 13 OF 20 LIFESCI COPYRIGHT 2004 CSA on STN

ACCESSION NUMBER: 1999:103856 LIFESCI

Selection pressures on vital rates in density-dependent TITLE:

populations

AUTHOR: Grant, A.

School of Environmental Sciences, University of East CORPORATE SOURCE:

Anglia, Norwich NR4 7TJ, UK

Proceedings of the Royal Society of London, Series B: SOURCE:

Biological Sciences [Proc. R. Soc. Lond., Ser. B: Biol. Sci.], (19970300) vol. 264, no. 1380, pp. 303-306.

ISSN: 0962-8452.

DOCUMENT TYPE: Journal

FILE SEGMENT:

D English

LANGUAGE: SUMMARY LANGUAGE: English

For density-independent populations, the sensitivity of population growth rate to changes in individual vital rates indicates the strength of selection on different parts of the life history. Here I show how this approach may be extended to any density-dependent and/or stochastic population model, including those that show cyclic, guasi-periodic and chaotic dynamics. One calculates the influence of individual vital rates on the outcome of competition between two almost identical life histories. The outcome of this competition is determined by the invasion exponent theta introduced by Rand. This is the Lyapunov exponent of the linearized system describing the invasion of a population with one life history by a variant type with another. Demographic sensitivities are given by the partial derivatives of theta with respect to the individual vital rates of the invading type. The density-independent analysis is a special case of this general framework. Sensitivities can often be obtained analytically when the population has a stable equilibrium point, and can be calculated by numerical differentiation in other cases. One can also use the methodology to examine selection pressures on the parameters describing density dependence and, if there are trade-offs between vital rates, it can be used to determine optimal life histories. A two age-class example shows that the occurrence of nonlinear dynamics can markedly alter selection pressures on a life history from those which operate when the population has a stable equilibrium point.

ANSWER 7 OF 20 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:650218 HCAPLUS

Analyzing Lyapunov spectra TITLE:

of chaotic dynamical systems AUTHOR(S): Diakonos, F. K.; Pingel, D.; Schmelcher, P.

Department of Physics, University of Athens, Athens, CORPORATE SOURCE:

GR-15771, Greece

SOURCE: Physical Review E: Statistical Physics, Plasmas,

Fluids, and Related Interdisciplinary Topics (2000),

62(3-B), 4413-4416

CODEN: PLEEE8; ISSN: 1063-651X

PUBLISHER: American Physical Society

DOCUMENT TYPE: Journal LANGUAGE: English

It is shown that the asymptotic spectra of finite-time Lyapunov

exponents of a variety of fully chaotic dynamical systems can be understood in terms of a statistical anal. Using random matrix theory, we

derive numerical and in particular, anal. results that provide insights

into the overall behavior of the Lyapunov exponents particularly

for strange attractors. The corresponding distributions for the unstable

periodic orbits are investigated for comparison.

REFERENCE COUNT: 18 THERE ARE 18 CITED REFERENCES AVAILABLE FOR THIS

RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

SOURCE:

ANSWER 1 OF 3 LIFESCI COPYRIGHT 2004 CSA on STN

ACCESSION NUMBER: 2001:39178 LIFESCI

TITLE: Periodic dynamics in Daphnia populations: Biological

interactions and external forcing

Grover, J.P.; McKee, D.; Young, S.; Godfray, H.C.J.; AUTHOR:

Turchin, P.*

CORPORATE SOURCE: Department of Ecology and Evolutionary Biology, University

> of Connecticut, Storrs, Connecticut 06269-3043, USA Ecology, (20001000) vol. 81, no. 10, pp. 2781-2798.

ISSN: 0012-9658.

DOCUMENT TYPE: Journal FILE SEGMENT: English LANGUAGE: SUMMARY LANGUAGE: English

Populations of the freshwater crustacean Daphnia were grown in laboratory microcosms for nearly 2 yr, to assess periodicity and other features of population dynamics. Two experimental manipulations were imposed: the addition of other crustacean species and imposition of externally forced temperature variations. Linear time series analysis revealed cyclic dynamics, with periods ranging from 41 to 182 d. Periodic behavior was qualitatively robust to both experimental manipulations. It occurred in populations of D. pulicaria in microcosms with and without additional species of crustaceans, and it occurred in populations of D. magna with and without externally imposed oscillations in temperature. Periodicity was observed both in populations that persisted and in those that went extinct during the experiment. The experimental treatment of additional crustacean species, and perhaps that of temperature forcing, reduced the period of oscillation. For the longest time series, nonlinear autoregression techniques gave negative Lyapunov

exponents, consistent with stable but noisy periodic dynamics rather than chaotic dynamics. Periodic models with a single fundamental frequency typically did not capture all the periodic behavior, however, suggesting that additional frequencies or responses to demographic stochasticity were present.

COPYRIGHT 2004 CSA on STN L29 ANSWER 2 OF 3 LIFESCI

1998:89964 LIFESCI ACCESSION NUMBER:

TITLE: Noise and Nonlinearity in Measles Epidemics: Combining

Mechanistic and Statistical Approaches to Population

Modeling

Ellner, S.P.; Bailey, B.A.; Bobashev, G.V.; Gallant, A.R.; **AUTHOR:**

Grenfell, B.T.; Nychka, D.W.

CORPORATE SOURCE: Biomathematics Program, Department of Statistics, North

Carolina State University, Raleigh, NC 27695-8203, USA

Am. Nat., (19980500) vol. 151, no. 5, pp. 425-440. SOURCE:

ISSN: 0003-0147.

DOCUMENT TYPE: Journal FILE SEGMENT:

LANGUAGE:

English SUMMARY LANGUAGE: English

We present and evaluate an approach to analyzing population dynamics data using semimechanistic models. These models incorporate reliable information on population structure and underlying dynamic mechanisms but use nonparametric surface-fitting methods to avoid unsupported assumptions about the precise form of rate equations. Using historical data on measles epidemics as a case study, we show how this approach can lead to better forecasts, better characterizations of the dynamics, and a better understanding of the factors causing complex population dynamics relative to either mechanistic models or purely descriptive statistical time-series

models. The semimechanistic models are found to have better forecasting accuracy than either of the model types used in previous analyses when tested on data not used to fit the models. The dynamics are characterized as being both nonlinear and noisy, and the global dynamics are clustered very tightly near the border of stability (dominant Lyapunov exponent lambda approximately 0). However, locally in state space the dynamics oscillate between strong short-term stability and strong show-term chaos (i.e., between negative and positive local Lyapunov exponents). There is statistically significant evidence for short-term chaos in all data sets examined. Thus the nonlinearity in these systems is characterized by the variance over state space in local measures of chaos versus stability rather than a single summary measure of the overall dynamics as either chaotic or nonchaotic.

L29 ANSWER 3 OF 3 LIFESCI COPYRIGHT 2004 CSA on STN

ACCESSION NUMBER: 97:88370 LIFESCI

TITLE: Nonlinear time-series modeling of vole population

fluctuations

AUTHOR: Turchin, P.

CORPORATE SOURCE: Dep. Ecol. and Evolution. Biol., Univ. Connecticut, Storrs,

CT 06269-3042, USA

SOURCE: RES. POPUL. ECOL., (1996) vol. 32, no. 2, pp. 121-132.

Meeting Info.: 17. Symposium of the Society of Population

Ecology. Yunoyama-onsen (Japan). 30 Sep-2 Oct 1995.

ISSN: 0034-5466.

DOCUMENT TYPE: Journal

TREATMENT CODE: Conference

FILE SEGMENT: D

LANGUAGE: English
SUMMARY LANGUAGE: English

A central goal of population ecology is to understand and predict fluctuations in population numbers. Until recently, much of the debate focused on the issue of population regulation by density-dependent factors. In this paper, I describe an approach to nonlinear modeling of time-series data that is designed to go beyond this question by investigating the possibility of complex population dynamics, characterized by lags in regulation and periodic or chaotic oscillations. The questions motivating this approach are: what are relative contributions of endogenous vs. exogenous components of dynamics? Is the irregular component in fluctuations entirely due to exogenous noise, or do nonlinearities contribute to it, too? I describe the philosophy and the technical details of the nonlinear modeling approach, and then apply it to a collection of time-series data on vole population fluctuations in northern Europe. The results suggest that population dynamics of European voles undergo a latitudinal shift from stability to chaos. Dynamics in northern Fennoscandia are characterized by positive Lyapunov exponent estimates, and a high degree of short-term (one year ahead) predictability, suggesting a strong endogenous component. In more southerly populations estimated Lyapunov exponents are negative, and there is no one-step ahead predictability, suggesting that fluctuations are driven by exogenous factors.

=>

d his

```
(FILE 'HOME' ENTERED AT 11:53:25 ON 10 SEP 2004)
```

```
FILE 'MEDICONF, BIOTECHNO, HCAPLUS, LIFESCI' ENTERED AT 11:56:25 ON 10
     SEP 2004
           2111 S LYAPUNOV
L1
          13178 S EXPONENT!
L2
        400738 S SURVIV? OR MORTALIT?
L3
L4
        1289492 S SPECTRA?
        4112803 S ANALYS? OR ANALYZ? OR PREDICT?
L5
          97979 S OUTCOME?
L6
          14584 S ICU OR INTENSIVE() CARE
L7 .
L8
            72 S L1(3N)L5
L9
            712 S L1()L2
L10
         42768 S L4(3N)L5
             0 S L1 AND L7
L11
L12
            10 S L1 AND L3
L13
            4 S L1 AND L6
L14
            16 S L1 AND L10
L15
         8719 S PATIENT? (3N) L6
L16
            0 S L1 AND L15
L17
             1 S L10 AND L15
             21 S L13 OR L14 OR L17
L18
             20 DUP REMOVE L18 (1 DUPLICATE REMOVED)
L19
        1883700 S ANAL
L20
L21
         57297 S L4(5N)L20
L22
            19 S L1 AND L21
             16 S L22 NOT L18
L23
L24
             0 S L3 AND L23
             0 S L15 AND L23
L25
L26
             0 S L6 AND L23
L27
             0 S L7 AND L23
        279000 S NEGATIVE?
L28
L29
             3 S L1 AND (L2(5N)L28)
L30
             0 S L3 AND L29
```

```
? ds; show files
```

```
Items
Set
                Description
S1
        1100
                APACHE()III
S2
        30171
                LYAPUNOV
S3
           0
                S1 AND S2
                INTENSIVE()CARE
       232576
S4
       45545
                ICU
S5
       248476
                S4 OR S5
S6
S7
                S2 AND S6
                PREDICT? OR ANALYS? OR ANALYZ?
S8
     14557287
                S2 AND S8
S9
        10705
                SURVIV? OR MORTAL?
      2657754
S10
                S9 AND S10
S11
          116
S12
           96
                RD (unique items)
                PY=2001-2004
S13
           0
                PY=(2001 OR 2002 OR 2003 OR 2004)
S14
     11764062
           79
                S12 NOT S14
S15
      4110894
                SPECTR?
S16
           22
                S15 AND S16
S17
S18
            3
                S7
                RD (unique items)
S19
       10859
                S2() EXPONENT?
S20
       565353
                S16(3N)S8
S21
S22
            9
                S20 AND S21 AND S10
                S22 NOT S15
S23
            6
S24
            6
                RD (unique items)
S25
          162
                NEGATIVE (3N) S20
      1590058
                OUTCOME? ?
S26
            0
                S25 AND S26
$27
            0
                S10 AND S25
S28
      5:Biosis Previews(R) 1969-2004/Sep W1
         (c) 2004 BIOSIS
     35:Dissertation Abs Online 1861-2004/Aug
         (c) 2004 ProQuest Info&Learning
File 155:MEDLINE(R) 1951-2004/Sep W1
         (c) format only 2004 The Dialog Corp.
File 73:EMBASE 1974-2004/Sep W1
         (c) 2004 Elsevier Science B.V.
File 34:SciSearch(R) Cited Ref Sci 1990-2004/Sep W1
         (c) 2004 Inst for Sci Info
File 434:SciSearch(R) Cited Ref Sci 1974-1989/Dec
         (c) 1998 Inst for Sci Info
File 144: Pascal 1973-2004/Aug W5
        (c) 2004 INIST/CNRS
    94:JICST-EPlus 1985-2004/Aug W2
File
         (c)2004 Japan Science and Tech Corp(JST)
File 441:ESPICOM Pharm&Med DEVICE NEWS 2004/Sep W1
         (c) 2004 ESPICOM Bus.Intell.
```

?